

# Dokuwiki

DokuWiki

MediaWiki

MediaWiki

DokuWiki MySQL

, 가

apt-get install

777

dokuwiki

the settings file can not be updated ~

가

- <http://blog.simplism.kr/?p=1549>
- <http://blog.storygames.kr/entry/dokuwiki>

/var/www/wiki

myip/wiki/install.php

{dokuwiki }/conf/users.auth.php  
> > >

가

DokuWiki 1 가

## Latex

. LaTeX, ImageMagick, Ghostscript가

가

```
$ apt-get install texlive-latex-base imagemagick ghostscript
```

## comment

## dw2pdf

PDF

## vector

## DokuBook



```
include("Mobile_Detect.php");
$mdetect = new Mobile_Detect();
if ($mdetect->isMobile()) {$conf['template']='dokumobile';}
```

KIEUNsWiki

Dokuwiki DB( ) data  
wiki:dokuwiki . <http://yourserver.com/data/pages/wiki/dokuwiki.txt>  
가 . Dokuwiki  
wiki:dokuwiki  
. ( ) .htaccess

- security

```
<LocationMatch "/(data|conf|bin|inc)/*">
    Order allow,deny
    Deny from all
```

Satisfy All  
</LocationMatch>

가 가

```
<Directory /var/www/dokuwiki>
    order deny,allow
    allow from all
</Directory>

<LocationMatch "^/dokuwiki/(data|conf|bin|inc)/">
    order allow,deny
    deny from all
    satisfy all
</LocationMatch>
```

https

conf

가

XE,

XE

가

.XE 1.7

## zbx.class.php

```
<?php
/**
 * ZBXE authentication backend
 * DokuWiki           XE
 *
 * @license   Creative Commons 3.0 ( )
 * @author    Venister (Joongpil Cho) <venister@empal.com>
 */
class auth_zbxe extends auth_basic {
    var $url = array();

    function auth_zbxe() {
        global $conf;

        define('__ZBXE__', true);

        $config_file =
$conf['auth']['zbxe']['path']."files/config/db.config.php";
        require_once ($config_file);

        $this->url['path'] = $conf['auth']['zbxe']['path'];
        $this->url['db_prefix'] = $db_info->db_table_prefix;
        $this->url['host'] = $db_info->db_hostname;
```

```
$this->url['user'] = $db_info->db_userid;
$this->url['pass'] = $db_info->db_password;
$this->url['database'] = $db_info->db_database;

//
$this->url['link'] = mysql_connect($this->url['host'],
$this->url['user'], $this->url['pass']);
if (!$this->url['link']) {
    msg('' . mysql_error());
    $this->success = false;
    return;
}

if (!mysql_select_db($this->url['database'],
$this->url['link'])) {
    msg('' . mysql_error());
    $this->success = false;
    return;
}
mysql_query("set names utf8");

// PHP 4      destructor
register_shutdown_function("auth_zbxe_disconnect", $this);
}

//


function checkPass($user, $pass) {
    $query = "select count(*) from
" . $this->url['db_prefix']."_member where user_id='$user' and
password=MD5('$pass')");
    $result = mysql_query($query);
    if (!$result){
        msg('' . mysql_error());
        return false;
    }
    $count = mysql_result($result, 0, 0);
    return ($count == 1 ? true: false);
}

//


//


// name :      ,
// mail :      ,
// grps :      ,
function getUserData($user) {
    global $conf;

    $query = "select user_name, email_address, member_srl from
" . $this->url['db_prefix']."_member where user_id='$user'";
    $result = mysql_query($query);
    if (!$result) return null;
```

```

        if($data = mysql_fetch_array($result)){
            $info['name'] = $data[user_name];
            $info['mail'] = $data[email_address];
            $member_srl = $data[member_srl];
        }

        $group_table = $this->url['db_prefix']."_member_group";
        $group_member_table =
$this->url['db_prefix']."_member_group_member";

        $query = "select g.title as title from ".$group_table." g,
".$group_member_table." gm where g.group_srl = gm.group_srl and
gm.member_srl = '$member_srl'";
        $result = mysql_query($query);

        if (!$result){
            msg('' : ' . mysql_error());
            return false;
        }

        while($data = mysql_fetch_array($result)){
            if(strpos($conf['auth']['zbxer']['user'], $data[title]) !==
FALSE){
                $info['grps'][] = 'user';
            }
            if(strpos($conf['auth']['zbxer']['admin'], $data[title]) !==
FALSE){
                $info['grps'][] = 'admin';
            }
        }

        return $info;
    }
}

function auth_zbxer_disconnect($obj) {
    mysql_close($obj->url['link']);
}

?>

```

가

{dokuwiki }/inc/auth . {dokuwiki }/conf/local.php

```

$conf['useacl'] = 1;
$conf['superuser'] = '@admin';
$conf['authtype'] = 'zbxer';
$conf['auth']['zbxer']['path'] = " ( / )";
$conf['auth']['zbxer']['user'] = "user ZBXE . ";

```

```
.";  
$conf['auth']['zbxer']['admin'] = "admin" ZBXE .;  
.";  
$conf['openregister']= 0;  
$conf['autopasswd'] = 1;  
$conf['resendpasswd']= 0;
```

: local.php ANSI

. ANSI  
UTF-8(BOM 가 )

- 가
- ubuntu 10.10 dokuwiki
- Ubuntu Dokuwiki
- How can I mass delete registrations
- 

1)

<https://www.dokuwiki.org/template:dokumobile>

2)

<https://code.google.com/p/php-mobile-detect/>

From:  
<http://obg.co.kr/doku/> - **OBG WiKi**



Permanent link:  
<http://obg.co.kr/doku/doku.php?id=linux:dokuwiki>

Last update: **2020/11/29 14:09**