2025/12/13 16:43 1/4 JSHint

# **JSHint**

```
$ sudo npm install jshint -g
```

#### .jshintrc

```
$ jshint [ ]
```

### (Enforcing)

bitwise ^(XOR), | bit UPPER\_CASE) var camelcase test var Test 가 curly while ({}) eqeqeq === es3 es3 for-in . for (var key in obj) if forin (obj.hasOwnProperty(key)) {} hasOwnProperty 가 .) . ( Array, Date, String freeze 가 Array.prototype.count = function() { };  $var a = function() \{\}();$ immed 가 indent

| latedef       |                           |           |           |         |             |              | hoisting    |
|---------------|---------------------------|-----------|-----------|---------|-------------|--------------|-------------|
| newcap        | new new Animal();         |           |           |         |             | . new ar     | nimal();    |
| noarg         | 가 .                       | ć         | arguments | .caller | argur       | nents.callee |             |
| noempty       | for (var i=0;i < 10;i++   | ) { }     | for       |         |             |              |             |
| nonew         | new Animal();             |           |           |         |             |              |             |
| plusplus      | ++, -                     |           |           |         |             |              |             |
| quotmark      |                           |           |           |         | . true<br>가 | single       | ,<br>double |
| undef         |                           | •         | 가         |         |             |              |             |
| unused        |                           |           | 가         |         |             |              |             |
| strict        | ECMAScript 5 strict mode  | strict mo | de        |         |             |              |             |
| trailing      |                           | 가         | 가         | 가       |             |              |             |
| maxparams     |                           |           |           |         |             |              |             |
| maxdepth      |                           |           |           |         |             |              |             |
| maxstatements |                           |           |           |         |             |              |             |
| maxcomplexity | (cyclomatic complexity) . |           |           |         |             |              |             |
| maxlen        |                           |           |           |         |             |              |             |

# (Relaxing)

| asi          | ·                             |
|--------------|-------------------------------|
| boss         | if $(a = 1)$                  |
| debug        | debugger;                     |
| eqnull       | == null .                     |
| esnext       | ECMAScript 6 .                |
| evil         | eval .                        |
| expr         | true.should.be.ok;            |
| funcscope    | if (true) { var a = 1; }<br>가 |
| globalstrict | ECMAScript 5 strict mode .    |
| iterator     | <u>iterator</u> .             |
| lastsemic    |                               |
| laxbreak     | laxcomma .                    |
| laxcomma     | ( ) .                         |
| loopfunc     |                               |

http://obg.co.kr/doku/ Printed on 2025/12/13 16:43

2025/12/13 16:43 3/4 JSHint

| moz       | (JavaScript 1.7) .   |                  |      |  |
|-----------|--|------------------|------|--|
| multistr  |  |                  |      |  |
| notypeof  | typeof   | typeof           |      |  |
| proto     | proto  |                  |      |  |
| scripturl | <a href="javascript"><a href="&lt;/th&gt;&lt;th&gt;:"></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a> | URL(javascript:) |      |  |
| smarttabs |  |                  |      |  |
| shadow    | variable shadowing   |                  |      |  |
| sub       | obj['key'] .   |                  |      |  |
| supernew  | new function () {}   | -                | 가    |  |
| validthis | strict .   | 가                | this |  |

### JSHint가

| browser     | document, navigator . |  |  |
|-------------|-----------------------|--|--|
| browser     | alert .               |  |  |
| couch       | CouchDB .             |  |  |
| devel       | console, alert / .    |  |  |
| dojo        | Dojo .                |  |  |
| jquery      | jQuery .              |  |  |
| mootools    | MooTools .            |  |  |
| node        | Node.js Node.js       |  |  |
| nonstandard | escape unescape ,     |  |  |
| phantom     | PhantomJS .           |  |  |
| prototypejs | Prototype .           |  |  |
| rhino       | Rhino .               |  |  |
| worker      | Web Worker .          |  |  |
| wsh         | Windows ScriptHost .  |  |  |
| yui         | YUI .                 |  |  |

#### Deprecated

| nomen    |         | (_)                 | 가 . |
|----------|---------|---------------------|-----|
| onevar   | var     |                     |     |
| passfail |         |                     |     |
| white    | JSHint가 | (Douglas Crockford) | 가   |

- JSHint
- JSHint Options
- JSHint

From:

http://obg.co.kr/doku/ - OBG WiKi

Permanent link:

http://obg.co.kr/doku/doku.php?id=programming:javascript:jshint

Last update: 2020/11/29 14:09



http://obg.co.kr/doku/ Printed on 2025/12/13 16:43